Google DeepMind



World Models are the Next Frontier for AI

Andrew Marmon
Research Engineer at Google DeepMind

Select AI Index technical performance benchmarks vs. human performance

Source: AI Index, 2025 | Chart: 2025 AI Index report



Source: Stanford HAI Index Report 2025

What we all wish AI could do



No interaction with the world

Currently LLMs have very little “real world” interactions where it can take an action and experience a response. LLMs contain a vast amount of knowledge of the world but its only interactions are through humans.

No grounding of LLM knowledge

LLMs read the entire internet, there is correct and incorrect knowledge it consumes. How do we verify what’s correct and incorrect? Often models work on consensus building and citing expert sources, but there are few areas were it can test and verify a hypothesis on its own.

For more info see
https://arxiv.org/pdf/2202.03629

We need interactive learning

"In our work, we adapt Pathways Language and Image model (PaLI-X) and Pathways Language model Embodied (PaLM-E) to act as the backbones of RT-2. To control a robot, it must be trained to output actions. We address this challenge by representing actions as tokens in the model's output – similar to language tokens – and describe actions as strings that can be processed by standard natural language tokenizers..." – https://robotics-transformer2.github.io/assets/rt2.pdf



"AlphaProof is a system that trains itself to prove mathematical statements in the formal language Lean. It couples a pre-trained language model with the AlphaZero reinforcement learning algorithm, which previously taught itself how to master the games of chess, shogi and Go." – https://deepmind.google/discover/blog/ai-solves-imo-problems-at-silver-medal-level/

“World Models” (2018)



At each time t we sample an observation from the world and encode it into a latent representation z

Based on output from model M on the given observation z, we take an action and receive a new observation

Human Remote-Controlled Data

Data from Simulation

Source: NVIDIA Groot

Combined with a VLM this gets us pretty far



“Put the bananas in the clear bin”



“Can you pass me the tissue?”
“Can you put the highlighter away?”
“Can you put the erasers away?”



“Can you flip the red die so it matches the number on the green die?”



“Take the basketball and slam dunk it.”


All Pixels in this Video are Generated!

“Genie 2” (2025)


“Screenshot of a world with a warrior protagonist”
Imagen 3
Encoder
Forward: “W”
Left: “A”
Attack: “E”
Decoder
Decoder
Decoder


Q W E
A S D



Figure 4 | **Setup & SIMA Agent Architecture.** The SIMA agent receives language instructions from a user and image observations from the environment, and maps them to keyboard-and-mouse actions.

Genie 2 + SIMA

“Go through the middle door”

“Go up the stairs”

NVIDIA Cosmos + Groot





Real Demonstration Videos
Teleop Demonstration Collection
Operator
Robot
Video
Captured Videos
Cosmos Predict Post-Training
Data Curation
Post Training
Post-Trained Cosmos Predict
Developer / Researcher
RGB Frame
Action Prompt
Post-Trained Cosmos Predict
Output Dreams Video
Cosmos Reason Quality Filter
Good Dreams
Action Labeling IDM or LAPA
Action Labels
Labeled Dreams
GR00T N1.5
Robot

With video generation models as world simulators, we will see an explosion of data diversity for physical AI, bridging the gap between robots in the lab and in the real world

Veo 3 – Look how far we've already come

My kid just spilled some spaghetti on the floor, do you think I can vacuum clean it up?

Thank you.

Google DeepMind